


ALLFUEL

GENERATION 2 PUMP INSERTS





AN INNOVATION THAT'S CHANGING THE GAME.

With increased regulations and growing demands, you need more and more from your pump systems. ALLFUEL Generation 2 Pump Inserts deliver efficient performance and can be removed or installed in a fraction of the time. Maintaining peak system performance has never been easier.

HOW TO KEEP INCREASED REGULATIONS FROM BECOMING INCREASED DOWNTIME.

With lower sulfur levels being mandated in marine gas oil, pumps are being forced to operate with lower lubricity. And lower lubricity could cause increased friction and wear which could possibly lead to more pump seizures.

Now more than ever you need a quicker way to upgrade, maintain and replace your pumps.

DESIGNED TO BE MAINTAINED, REPAIRED OR REPLACED QUICKLY. ENGINEERED TO ENSURE IT RARELY HAS TO BE.




ENGINEERED TO EXCEED EXPECTATIONS.

In addition to its easy installation, we've designed our pump insert to deliver better performance, increased efficiency and improved compatibility:

- > Innovative, compact, single-piece liner.
- > Ball bearings located outside the mediums area.
- > Spindles supported by an innovative hanging idler design.
- > One ball bearing design and one mechanical seal for all pump sizes.
- > Closed housing at the base.

IT'S WHAT'S INSIDE THAT COUNTS.

ALLFUEL Generation 2 Pump Inserts combine compatibility and durability with game-changing ease of installation to significantly reduce downtime.



GENERATION 2 PUMP INSERT FEATURES

The ALLFUEL Generation 2 Pump Insert is designed to deliver better performance, increased efficiency and improved compatibility:

- New insert unit design allows liner to be removed in one piece for easier and faster repairs or maintenance.
- > Every size uses the same type of bearing and mechanical seal, which means more simplicity and less spare parts.
- > Generation 2 Pump Inserts will fit existing SPF or ALLFUEL Generation 1 housing.
- Spindles supported by next generation hanging idler design means no need for special hardened stopper plug in housing.
- New pump housing is closed at the bottom with two drain holes on each side for better accessibility.
- > Redesigned pump foot allows you to dismantle on site.
- > Less wear and better protection due to external anti-friction bearing with seal disks.

NOT SURE WHICH GENERATION YOU HAVE INSTALLED?

If the material code on your pump or its documentation is W196 or W197 and you're using the pump for low sulfur fluids, we recommend upgrading your pump with a new insert unit engineered to handle the challenges that low sulfur fluid presents. Upgrading to an easy-to-install ALLFUEL Generation 2 Pump Insert will save you time and money. If your pump's code is W198 or W199, you have the right type of pump to meet the demands of low sulfur fluid.

PERFORMANCE DATA

Capacity	Q	up to	112	l/min
Inlet pressure	p_s	up to	*)7 /**)25	bar
Discharge pressure	p_d	up to	40	bar
Differential pressure	p_{diff}	up to	40	bar
Viscosity	V	up to	750/3000	mm²/s
Fluid temperature	t	up to	150	°C
Speed	n	up to	3600	1/min


^{*)} AFM-T / F vis:750 mm 2 /s **)AFM vis:3000 mm 2 /s



FITS YOUR NEEDS AND, CHANCES ARE, YOUR HOUSINGS.

The ALLFUEL Generation 2 Pump Insert will work with any existing SPF or ALLFUEL Generation 1 housing and is included on all new ALLFUEL pumps.

The ALLFUEL Generation 2 Pump Insert works on these systems:



DIFFERENT INDUSTRIES. SAME RESULTS.

The ALLFUEL Generation 2 Pump Insert is helping to reduce downtime for companies in a number of sectors.

OIL FIRING APPLICATIONS



- Transfer and circulation pumps
- Booster and burner operation pumps

MARINE



 Feeder and circulation pumps for fuels and lubricants

TANK FARM ENGINEERING



Feeder and tank drainage pumps

INDUSTRIAL APPLICATIONS



- Transfer pumps for all lubricating liquids
- Lubricating pumps for gear boxes, motors and hydraulic installations

THE FUTURE OF PUMP SYSTEMS.

ALLFUEL Generation 2 Pump Inserts are changing the way people think about pump system maintenance.

BRINGING DOWN DOWNTIME.

The pre-assembled one-piece insert unit can be installed or removed in a third of the time. Making it easier to maintain your pumps and keep your system running at peak performance.

BUILT TO LAST.

Easy installation is just the beginning, ALLFUEL Generation 2 Pump Inserts are also engineered for durability and are built with high quality parts.

ONE DESIGN FITS ALL.

Found on all new systems, the Generation 2 Pump Inserts will also fit the housing of all existing SPF and Generation 1 pumps.

AN INNOVATION WHOSE TIME HAS COME.

With new regulations, growing demand and increased need for compatibility, ALLFUEL Generation 2 Pump Inserts deliver the combination of convenience, performance and efficiency you need now more than ever.

REDEFINING GLOBAL SOLUTIONS

CIRCOR Pumping Technologies maintains regional engineering and manufacturing facilities, along with a global network of distributors, to support you around the world and around the clock.



Global Headquarters




Commercial Marine Main Offices



Regional Manufacturing and Engineering Support Facilities



Global Distributor Network





CIRCOR is a market-leading, global provider of integrated flow control solutions, specializing in the manufacture of highly engineered valves, instrumentation, pumps, pipeline products and services, and associated products, for critical and sever service applications in the oil and gas, power generation, industrial, process, maritime, aerospace, and defense industries.

Excellence in Flow Control

Asia | Europe | Middle East | North America | South America

SES International B.V. Sluisstraat 12 Delden, NL-7491GA Netherlands

+31 74 377 7300

Warren Pumps LLC 82 Bridges Avenue P.O. Box 969

Warren, MA 01083-0969

USA

+1(413) 436-7711

CIRCOR

1710 Airport Rd Monroe, NC 28110

USA

Allweiler India Pvt. Ltd.

CIRCOR

Plot No. 1, 22, 23, 653/1,

Somnath Co-op. Indl. Soc. Ltd.,

Somnath-Kachigam Road,

Daman, 396 210. India



circorpt.com